

Standard Iron Brackets

Product URL <https://signaturethings.com/standard-iron-brackets>

Short Description: Standard Brackets have clean lines and unobtrusive styling. They are our most popular style. All brackets are sold individually. Brackets will be made to coordinate with the rod size and style ordered. Most brackets are the drop-in style and feature a set screw that securely locks the rod in place after installation. Projection is measured from the wall to the center of the rod. Touch up paint is included to match screw heads if alternate mounting hardware is required. Professional installation into studs or wood backing is advised. [View More Options for Iron Finishes](#)

Full Description: Image #DesignDescriptionSize1SingleOur most popular bracket. Strong and simple.

A great choice for most applications. Projection: 3-1/2"

Base: 1" × 4"2Braced BracketA welded brace is recommended for heavier treatments and projections over 6". Base: 1" × 4"3Adjustable BracketRecommended for use with bay rods, curved rods, and returns. Projection: 3" – 4-1/4" (3-1/2" – 4-3/4" for 1-5/8" rods)

Base: 1" × 4"4Staggered BracketFor rods up to 1", under rod bracket is 2-1/2" below the over rod bracket.

For 1-5/8" rods, under rod bracket is 3-3/8" below the over rod bracket. Projection: 3" & 6"

Base: 1" × 4"5Double Bracket Projection: 3" & 6"

Base: 1" × 4"6Center Double BracketUse as a center support only.

When using heavy panels or spanning very wide openings, we suggest using a Double bracket instead of a Center Double bracket. Projection: 3" & 6"

Base: 3-1/2" × 1" (for rods up to 1")

Base: 3-1/2" × 1-1/2" (for 1-5/8" rods)7Center BracketUse as a center support only.

When using heavy panels or spanning very wide openings, we suggest using a Single bracket instead of a Center bracket. Projection: 3-1/2"

Base: 3-1/2" × 1" (for rods up to 1")

Base: 3-1/2" × 1-1/2" (for 1-5/8" rods)8Center Adjustable BracketUse as a center support only.

When using heavy panels or spanning very wide openings, we suggest using an Adjustable bracket instead of a Center Adjustable bracket. Projection: 3" – 4-1/4" (3-1/2" – 4-3/4" for 1-5/8" rods)

Base: 3-1/2" × 1" (for rods up to 1")

Base: 3-1/2" × 1-1/2" (for 1-5/8" rods)9Tapestry BracketOptional screw-on rosette available to replace set screw.

Note: some finials and rings may require more clearance.

Please contact us if unsure.

See Tapestry Hooks for hooks that may also be used for tapestry applications. Clearance to back of

rod: 1/2"

Base: 1" × 4" 10 Swivel Bracket Base swivels to allow installation in different positions.

Recommended for use with arch top rods and as a center support for 1/2" and 3/4" French rods. Projection: 3" – 5"

Base: 1" × 3-1/2" (for rods up to 1")

Base: 1-1/2" × 3-1/2" (for 1-5/8" rods) 11 Pass Through Bracket Base swivels to allow installation in different positions.

Not for ceiling installation. Not for use with French rods unless spliced. Projection: 3" – 5"

Base: 1" × 3-1/2" (for rods up to 1")

Base: 1-1/2" × 3-1/2" (for 1-5/8" rods) 12 Ceiling Bracket Ceiling brackets will be made to the minimum drop (measured from the ceiling to the top of the rod). Base: 3-1/2" × 1"

1/2" rods: 1-1/4" minimum drop, 2" overall length

3/4" Round rods: 1-3/8" minimum drop, 2-3/8" overall length

3/4" Twist & 1" rods: 15/8" minimum drop, 2-7/8" overall length

1-5/8" rods: 2-1/8" minimum drop, 4" overall length 13 Socket For inside mounting. Specify rod side (left or right) for set screw along with exact inside mount dimensions below. We will make deductions. Provides a minimal look. 14 Corner Bracket Allows installation directly into a corner. Projection adjusts from 3"–5". Hinged base is 3" × 3".

Splices into 1" rods. Fits over 1/2" – 3/4" rods.

Not recommended for use with 15/8" rods or heavy treatments. 15 Bypass Bracket Recommended for large curved rods or excessive spans.

Available for special applications with 15/8" rods using 2 1/2" C rings or with 1" rods using 2" C rings. Base: 1" × 3-1/2" (for 1" rods)

Base: 1-1/2" × 3-1/2" (for 1-5/8" rods) 16 Double Bypass Bracket Recommended for large curved rods or excessive spans.

Available for special applications with 15/8" rods using 2 1/2" C rings or with 1" rods using 2" C rings. Not available for smaller rods. Base: 1" × 3-1/2" (for 1" rods)

Base: 1-1/2" × 3-1/2" (for 1-5/8" rods) 17 Ceiling Bypass Bracket Recommended for large curved rods or excessive spans.

Available for special applications with 15/8" rods using 2 1/2" C rings or with 1" rods using 2" C rings. Not available for smaller rods. Base for 1" rods: 1" × 3-1/2"

Base for 1-5/8" rods: 1-1/2" × 3-1/2"

Projection: 2"

Drop for 1" rods: 1-5/8" to top of rod

Drop for 1-5/8" rods: 2-1/8" to top of rod Hang dapper drapes and cute curtains in clean, transitional style with this classic iron center rod support bracket! Constructed from heavy duty iron. What's Included? - Iron Rod Mounting Brackets / Center Rod Support Brackets Included. Features: Long lasting wrought iron for indoor or outdoor use. Heavy Duty Curtain Rod Brackets is made of High quality iron. Provides an attractive accent to every window treatment in your living room, bedroom, bathroom, kitchen, and kids room. Suitable for 1/2", 3/4", 1" and 1-5/8" diameter Rods. Multiple Design Option are available. Product Details: Product Type: Center Bracket Material: Metal Material Details: Iron Mounting Location: Ceiling Room Use: Kitchen; Bedroom; Living room; Dining

roomColor/Finish: Black, Aged Iron, Antique Brass, Bronze, Burgundy, Burnished, & more.

Price \$62.40

SKU: f4866627









SignatureFinge